

FHWA is the source of all images in this presentation unless otherwise noted.

## **FHWA CMIP Tool**

Extreme Precipitation in the Northeast Workshop

October 15, 2019 • ICNet • Westborough, MA

Brian Beucler, Senior Hydraulics Engineer, Office of Infrastructure




## **Coupled Model Intercomparison Project Tool**

- Named after IPCC World Climate
   Research Programme project evaluating climate models and projections
- CMIP site: <a href="https://www.wcrp-climate.org/wgcm-cmip">https://www.wcrp-climate.org/wgcm-cmip</a>
- Tool takes output from the Downscaled CMIP3 and CMIP5 Climate and Hydrology Projections (DCHP) website and renders temperature and precipitation variables of interest to designers/planners

## **Coupled Model Intercomparison Project Tool**

- Tool currently exists (as a spreadsheet) at: <u>www.fhwa.dot.gov/environment/sustainabili</u> <u>ty/resilience/tools/</u>
- New upgraded tool will run faster and use CMIP5 models and refined LOCA datasets
- Should be complete/posted by early 2020
- Tool's User Guide is "required reading"
- Tool may assist with NCHRP project testing methods to incorporate projections into hydrologic computations

### **DCHP Website**



http://gdo-dcp.ucllnl.org/downscaled cmip projections


#### **New Tool Features**

- Will run on FHWA server rather than tie up the user's computer
- Will run faster and handle larger datasets
- Will assign a grid-naming convention and graphically display results on a map including grid overlay
- Will translate LOCA data from NetCDF format so as to be viewed in Excel
- Will display raw input data as well as a polished report for presentation

#### **New Tool Features**

- Will produce annual maximum series for precipitation similar to existing tool
- Will produce precipitation projections in terms of annual exceedance probabilities or return periods (e.g. the 25-year storm)
- User guide will include more direction on selecting models, scenarios, baseline vs. future periods, using confidence limits, etc.
- Exclusively using CMIP5 and LOCA but will accommodate future CMIP projects







I-680 in Iowa during Missouri River Flood of 2011, credit: Iowa State Patrol

#### ISING FHWA RESOURCES TO BUILD RESILIENCE

Extreme weather, sea level change, and changes in environmental conditions threaten the considerable federal investment in transportation infrastructure. FHWA is working with States and metropolitan areas to increase the health and longevity of the Nation's Highways... » more information

#### RESOURCES

Downscaled CMIPS Climate and Hydrology Projections (DCHP) FHWA Hydraulic Engineering FHWA Resilience

#### OLICIES PIGHTS LEGAL

Privacy Policy
Freedom of Information Act
(FOIA)
Accessibility

Web Policies & Notices No Fear Act Report Waste, Fraud and Abuse

U.S. DOT Home
USA.gov
WhiteHouse.gov
Federal Highway Administration

#### CONTACT

1200 New Jersey Avenue, SE Washington, DC 20590 Phone: 202-366-4000

## **Deriving Output Variables**


- Input data are simply <u>daily</u> min & max surface air temp (tasmin & tasmax) and precipitation depth (pr)
- Current tool produces a variety of useful temperature and precipitation variables of interest to planners/designers, e.g.,
  - ✓ Hottest/Coldest Temperatures of the Year
  - ✓ Average no. of days above 95°F, 100°F, 105°F, 110°F
  - ✓ Max. No. Consecutive Days per yr above 95°F, 100°F, 105°F, 110°F
  - ✓ Highest 4-Day Average Summer High Temperatures
  - √ 95<sup>th</sup> and 99<sup>th</sup> percentile precipitation depths
  - ✓ Annual maximum series of precipitation depths, and much more!

## **Deriving Output Variables**

- Return period precipitation projections computed using a "10-step" procedure that essentially ratios future to baseline modeled precipitation data and applies the ratio to observed data
- Procedure was developed as part of NCHRP 15-61 project and evolved from procedures in HEC-17 2<sup>nd</sup> edition
- Will not attempt to compute sub-daily durations at this point (24 hr minimum)

### 10 Step Procedure

- LOCA models available for RCP 4.5 and RCP 8.5 scenarios
- Use of multiple GCMs allows estimation of confidence limits
- Uses ratios indexed to the more common 10yr event to estimate more extreme events (e.g. 100-yr event)
- 24 hour minimum durations only



#### **HEC 17: Riverine Resilience**


- 1. Introduction
- 2. Floodplain Policy
- 3. Riverine Flooding
- 4. Nonstationarity
- 5. Climate Science and Modeling
- 6. Risk and Resilience
- 7. Analysis Framework (5 levels)
- 8. Case Studies

**HEC 17 Webinar Series:** 

www.fhwa.dot.gov/engineering/hydraulics/media.cfm

HEC 17 Link:

www.fhwa.dot.gov/engineering/hydraulics/pubs/hif16018.pdf



# **HEC 17 Highlights**

- Regulatory foundation and background for resilient design
- Overview of typical hydrologic design methods
- Climate Science and Modeling 101
- Defining Risk with respect to remaining design life
- Evaluating over a range of events vs. a single design event
- Strategies to reduce vulnerability and increase resilience
- Five level risk/vulnerability assessment framework
- Test to assess significance of future precipitation changes
- Five case studies illustrating various levels of assessment

### **NCHRP 15-61**

- Applying Climate Change Information to Hydrologic and Hydraulic Design of Transportation Infrastructure
- Objective is to develop a design guide of national scope to provide hydraulic engineers with tools to account for future climate in designs
- Two deliverables: Final report (research findings) and best practices (design) guide that engineers can easily use
- Current status: Draft final report and draft design guide have been completed. Stay tuned.
- Looking at both inland and coastal (SLR) methods

15-61 Link: <a href="http://apps.trb.org/cmsfeed/TRBNetProjectDisplay.asp?ProjectID=4046">http://apps.trb.org/cmsfeed/TRBNetProjectDisplay.asp?ProjectID=4046</a>

#### Webinar:

https://www.youtube.com/watch?v=gCcOE9atnpE&list=PLvW4wAljXpNApjs\_zWtoZkc SFvFeEamJB&index=36&t=0s

## Thank you...Questions?



### Brian L. Beucler, P.E.

Senior Hydraulics Engineer Federal Highway Administration Office of Bridges and Structures HIBS-20, Room E75-119 1200 New Jersey Avenue, SE Washington, DC 20590 brian.beucler@dot.gov www.fhwa.dot.gov/bridge (202) 366-4598 (work)