




El Niño-Southern Oscillation (ENSO) Update + What Might We Expect This Winter?

Michelle L'Heureux
NOAA Climate Prediction Center

ENSO Team: Emily Becker (CIMAS/Miami)*, Tom Di Liberto (NOAA CPO)*, Azhar Ehsan (IRI), Zeng-Zhen Hu, Nathaniel Johnson (NOAA GFDL)*, Arun Kumar, Michelle L'Heureux, Wanqiu Wang, Caihong Wen, Jieshun Zhu

* ENSO blog affiliates


NOAA Eastern Region Climate Services Webinar
30 November 2023



El Niño Advisory

9 November 2023 Update:
El Niño is anticipated to continue through the Northern Hemisphere spring (with a 62% chance during April-June 2024).


Atmosphere-ocean feedbacks during El Niño-Southern Oscillation
Neutral



NOAA Climate.gov

El Niño


Atmosphere-ocean feedbacks during El Niño-Southern Oscillation
El Niño



NOAA Climate.gov

<https://www.climate.gov/news-features/blogs/enso/rise-el-niño-and-la-niña>

October 2023 Sea Surface Temperature (SST) Anomalies




<https://www.nnvl.noaa.gov/view/globaldata.html#SSTA>


**Weekly Average Sea Surface Temperatures
during early September through late November 2023**

SST Anomalies (°C)

Week centered on 06 SEP 2023



Evolution in the Niño-3.4 SST index for all El Niño episodes since 1950




Data: NOAA ERSSTv5 (with 30-year moving climatologies)

Subsurface Temperature Departures during late September through mid November 2023

EQ. Subsurface Temperature Anomalies (deg C)
Pentad centered on 25 SEP 2023


Surface of Ocean

300 meters
below surface



ENSO Outlook (updated 9 November)

Official NOAA CPC ENSO Probabilities (issued Nov. 2023)



https://www.cpc.ncep.noaa.gov/products/analysis_monitoring/enso_advisory/ensodisc.shtml

Niño3.4 Index Strength Outlook (updated 9 November)

ENSO Strengths

This table shows the forecast probability (%) of Niño-3.4 index exceeding a certain threshold (in degrees Celsius). For negative thresholds, the table shows the probability (%) of a Niño-3.4 index value that is less than (more negative) that value. For positive thresholds, the table shows the probability (%) of a Niño-3.4 index value that is greater than (more positive) that value. This tool supports the official ENSO Diagnostic discussion updated on the 2nd Thursday of each month.

Target	≤ -2.0°C	≤ -1.5°C	≤ -1.0°C	≤ -0.5°C	≥ 0.5°C	≥ 1.0°C	≥ 1.5°C	≥ 2.0°C
OND	~0	~0	~0	~0	~100	~100	94	22
NDJ	~0	~0	~0	~0	~100	~100	87	35
DJF	~0	~0	~0	~0	~100	97	73	27
JFM	~0	~0	~0	~0	99	91	56	16
FMA	~0	~0	~0	~0	97	75	30	4
MAM	~0	~0	~0	~0	88	46	9	~0
AMJ	~0	~0	~0	1	62	19	2	~0
MJJ	~0	~0	~0	5	40	9	1	~0
JJA	~0	~0	2	15	27	6	1	~0
	≤ -2.0°C	≤ -1.5°C	≤ -1.0°C	≤ -0.5°C	≥ 0.5°C	≥ 1.0°C	≥ 1.5°C	≥ 2.0°C

A strong El Niño is favored with greater than a 55% chance through January-March 2024.


A “historically strong” El Niño has a ~1 in 3 chance during November-January.

https://www.cpc.ncep.noaa.gov/products/analysis_monitoring/enso_advisory/strengths/index.php

**What Might We Expect Over the Northeast
This Winter?**

Schematic Version of El Niño Impacts

TYPICAL EL NIÑO WINTERS












<https://www.climate.gov/news-features/featured-images/how-el-niño-and-la-niña-affect-winter-jet-stream-and-us-climate>


What Do Precipitation Anomalies look like for previous Strong El Niños?

Poorer Pattern Matches With Typical El Niño Pattern

Better Pattern Matches With Typical El Niño Pattern

Expected or Typical El Niño precipitation pattern during December-February







Larger values means winter precip pattern looks more like the typical El Niño pattern

#s next to dots refers to the year.
98= 1997-98 winter


December 2023- February 2024 CPC Outlook (updated 16 Nov.)



For the northeast region, the overall patterns look fairly similar through February-April

CPC Seasonal Outlooks for all upcoming seasons:
https://www.cpc.ncep.noaa.gov/products/predictions/long_range/


January-March Average Snowfall Anomalies (ERA5 data) for Moderate & Strong El Niños




1959–2023 (detrended)
vs. 1991–2020 average



NOAA Climate.gov
Data: ERA5



1959–2023




NOAA Climate.gov
Data: ERA5


<https://www.climate.gov/news-features/blogs/snow-pain-snow-gain-how-does-el-nino-affect-snowfall-over-north-america>

What Do Snowfall Anomalies look like for previous Strong El Niños?


Poorer Pattern Matches With Typical El Niño Pattern



Expected or Typical El Niño precipitation pattern during January-March



Better Pattern Matches With Typical El Niño Pattern





Key Takeaways

- A strong El Niño is already in place and is currently strengthening. There is a 1 in 3 chance of a historically strong El Niño that rivals our strongest El Niño events.
- The expected peak (of sea surface temperatures in the Niño-3.4 region) is during the November-January season, but impacts over the United States will lag into the spring seasons.
- For coastal regions, there is a lean toward above-average precipitation (rainfall + snow). For regions adjacent to the Great Lakes, below-average precipitation is favored. Above-average temperatures are favored over the entire region.
- Expected seasonal impacts are always probabilistic (“% chance of”) and never guaranteed. In the northeast, remember the precipitation “bust” in 1991-92!
- During strong El Niño events, only the below-average snowfall near the Great Lakes is statistically significant. Other regions are closer to a coin toss.



ENSO Diagnostics Discussion (updated on the 2nd Thursday of each month)

http://www.cpc.ncep.noaa.gov/products/analysis_monitoring/enso_advisory/ensodisc.html

ENSO Blog (updated twice a month)


<https://www.climate.gov/news-features/blogs/enso> [or just google “ENSO Blog”]

CPC Seasonal Outlook (updated on the 3rd Thursday of each month)

https://www.cpc.ncep.noaa.gov/products/predictions/long_range/

Extra Slides

Evolution in the Equatorial Southern Oscillation index for all El Niño episodes since 1950



Evolution in the Central Pacific OLR (cloudiness/convection) index for all El Niño episodes since 1991

